



PRESTIGE

THE ONLY SCOPE YOU'LL EVER NEED


Future Specification, Available NOW!

Ground breaking technology rewrites specification all the time. This time you are looking at Prestige 6Z series with fundamental improvement on field of view and magnifying range.

Bringing the two features together, Prestige 6Z gives shooter far better edge on much faster target locating, faster aiming while the 6X zoom magnification makes one scope good for more types of hunts.

6X Zoom V.S. Traditional 4X Zoom

Visual comparison between 6Z Prestige 1-6X24 and Mamba 1-4X24



QUALITY

- 30 mm T6061 aluminium aircraft grade construction
- Minimum tolerance Lens Index Matching system
- Fully Multi-Coated Lenes
- Coil Spring system **A**
- Lab grade nitrogen filled

FEATURES

- Optisan unique Pro Hunter' s Lowprofile, zero-resettable turret **B**
- Exquisite and Ergonomic slanted knurling design **C**
- Red/Green Duo 5 steps Illumination Control **D**
- Spare battery compartment in windage turret cap **E**




A



B



C



D



E



6Z 1-6X24

The ideal scope you can count on for all close to mid range hunting!
True 1X magnification and the significant field of view (120ft at 100yds) allows much quicker target surveillance with both eyes open. As impressive as its optical performance, Prestige 6Z is designed and tested proven to stand big caliber rifles.
Bringing image up to 6X, Prestige 6Z gives the edge to place precise bullet drop at
An unbeatable scope for dangerous big game hunting, driven hunt, running shots, close-quarter battle, deer stalking and stand shooting.



6Z 2-13X44

A wider magnification range with a large objective makes it an "intercontinental traveler scope." Capable of hunts from close range or confusing target condition such as forest on deer stalking to small target shooting at long range such as varmint shooting, from safari big game trip to field target shooting competitions, Prestige 6Z 2-13X44 does it all!

Accessories



270° Metal Flip-up Lens Cover

Removable metal flip up covers are attached to the front and rear housing as standard, with O-ring seals to offer maximum protection from dirt, water and impact. 270° Angle-adjustable for convenience.



(Pat. Pending)

All-weather Scopecoat, Stay-on Design




Scope scratch free

TECHNICAL DATA


	1-6X24	2-13X44
		
Magnification	1X - 6X	2X - 13X
Objective Lens Dia.	24mm	44mm
Linear field of View (ft@100yds)	120 - 20	50 - 8.3
Exit Pupil	11mm - 4mm	10mm - 3mm
Diopter Adjustment Range (dpt)	-2.5 / +2	-2.5 / +2
Eye relief (inch)	3.5"	3.5"
Parallax-free Setting	100yds	100yds
Adjustment per click (in/100yds)	1/2	1/4
Max. Windage adjustment range	30'	25'
Max. Elevation adjustment range	30'	25'
Tube Diameter (mm)	30mm	30mm
Illumination	5 Steps Red/Green Illumination	5 Steps Red/Green Illumination
Length (in/mm)	8.18 / 265	10.33 / 335
Weight (oz/g)	17.25 / 488	23.85 / 676
Art. No.	37377 CQB 37355 RAQ	37356 RAQ

Optisan reserve the right to modify design for continuous product improvement without prior notice.

Choice of Reticule (1-6X24)




RAQ (dotsize: 2MOA) 1-6X24



CQB reticle (Close Quarter Battle)
with Red Green Illumination

Choice of Reticule (2-13X44)



RAQ (dotsize: 1.66MOA) 2-13X44